

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	14	S2 and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:24
S2	1331	(353/121,122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:24
S5	411	S2 and align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:25
S4	6	S2 and receptor\$1 and align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:25
S6	53	S2 and (method with align\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:26
S7	63	S2 and (align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:30
S9	16	S2 and (align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))) and array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:31
S8	2	S2 and (align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))) and recept\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:31

S10	107	"353"/\$ and (align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))) and array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:32
S11	5	"353"/\$ and (align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))) and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:33
S12	22	(align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))) and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:34
S13	3	(align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))) and receptor\$1 and (receiver or (receiv\$3 adj (device or unit or system or apparatus))) and (transmitter or (transmitting adj (device or apparatus or unit or system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:36
S14	65	(align\$4 near3 (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))) and (receiver or (receiv\$3 adj (device or unit or system or apparatus))) and (transmitter or (transmitting adj (device or apparatus or unit or system)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:42
S16	2	(align\$3 adj receptor\$1) and (projector or (project\$3 adj1 (device or display or system or unit or apparatus)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:48
S15	140	(align\$3 adj receptor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:48
S18	3	((("5612798") or ("5945972") or ("6229506")).PN.	US-PGPUB; USPAT	OR	OFF	2005/05/17 10:58
S17	6	((("5612798") or ("5945972") or ("6229506")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/17 10:58
			US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			

S19	1	(rotat\$3 adj mirror) and (beam adj emit\$4) and (signal near2 transmit\$4) and (receptor or receiver or (receiving adj (device or unit or apparatus or system))) and (computer or processor or ((comput\$3 or process\$3) adj (device or system or apparatus or unit))) and (optical\$2 near2 addressable near2 display\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:10
S20	115	(345/571).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/04 11:13
S21	0	S20 and (beam adj emitt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:14
S22	101	(345/81).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/04 11:22
S27	3	S22 and (beam near1 emitt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:23
S25	2	S24 and (beam adj emitt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:23
S23	3	S22 and (beam adj emitt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:23
S28	0	(optically adj adress\$4 adj display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:24

S26	2	S24 and (beam near1 emitt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:24
S30	18	((("3659159") or ("4467325") or ("5838308") or ("6542138") or ("6275205") or ("6424326") or ("3631411") or ("5786796"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/04 11:46
S31	2	"20010055008"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:47
S32	1	10/120945	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:50
S33	4804	align\$3 with beam with project\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:53
S29	39	(optically adj address\$4 adj display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:53
S34	490	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and (align\$3 with beam with project\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:56
S35	11	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and (align\$3 with beam with project\$3) and transmit\$4 and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 11:57

S36	9	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and (align\$3 with beam with project\$3) and transmit\$4 and receptor\$1 and (display\$1 or scree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:02
S37	515	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and align\$4 and transmit\$4 and receptor\$1 and (display\$1 or scree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:03
S39	3	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and (alignment adj receptors) and transmit\$4 and receptor\$1 and (display\$1 or scree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:04
S38	9	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and (align\$4 with projector) and transmit\$4 and receptor\$1 and (display\$1 or scree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:04
S41	3	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and (alignment adj receptors) and transmit\$4 and (display\$1 or screen\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:05
S40	3	("353"/\$ or "359"/\$ or "345"/\$ or "348"/\$ or "349"/\$) and (alignment adj receptors) and transmit\$4 and (display\$1 or scree\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:05
S43	95	(projector or (project\$3 adj1 (device or system or apparatus or unit or display))) and (align\$4 adj (receptors or receiv\$3)) and transmit\$4 and (display\$1 or screen\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:07
S42	2	(projector or (project\$3 adj1 (device or system or apparatus or unit or display))) and (alignment adj receptors) and transmit\$4 and (display\$1 or screen\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/04 12:07

S1	398	(353/121).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/10 15:27
S44	49	(("4252439") or ("5577733") or ("5988645") or ("5677788") or ("4249294") or ("4344234") or ("4402603") or ("4500201") or ("4534115") or ("5227864") or ("5426533") or ("5489229") or ("5523889") or ("5670841") or ("5940149") or ("6191706") or ("6262781") or ("6283597") or ("5566151") or ("4272189") or ("4356400") or ("4883964") or ("4883965") or ("4900117") or ("4918441") or ("5939708") or ("5971278") or ("6043799") or ("6154297") or ("6204829") or ("6404849") or ("6217173") or ("6217173") or ("4823011") or ("5386257") or ("4246705") or ("4426726") or ("4623783") or ("4768958") or ("4907879") or ("5005973") or ("5268781") or ("5410398") or ("5422693") or ("5481524") or ("5638199") or ("6049370") or ("3922969") or ("3920320") or ("3911588")).PN.	US-PGPUB; USPAT	OR	OFF	2005/12/10 15:45
S46	1	10/717952	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 15:47
S45	19	S44 and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 15:59
S49	11	S44 and receptor\$1 and (transmit\$4 or transceiv\$3) and project\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 16:46

S48	5	S44 and receptor\$1 and (transmit\$4 or transceiv\$3) and projector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 16:46
S47	15	S44 and receptor\$1 and (transmit\$4 or transceiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 16:46
S50	12	("3813170" "3897637" "3942894" "4027210" "4135823").PN. OR ("4252439").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/10 17:39
S51	0	(353/156).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/10 17:40
S53	699	(356/153).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/10 17:41
S55	2	S54 and receptor and align\$4 and projector and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:42
S57	50	"356"/\$ and receptor\$1 and align\$4 and projector and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:43
S56	50	"356"/\$ and receptor and align\$4 and projector and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:43
S58	10	"356"/\$ and (receptor\$1 with array) and align\$4 and projector and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:45

S60	219	"359"/\$ and ((receptor\$1 or receiv\$3) with array) and align\$4 and projector and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:46
S59	3	"359"/\$ and (receptor\$1 with array) and align\$4 and projector and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:46
S61	154	"356"/\$ and ((receptor\$1 or receiv\$3) with array) and align\$4 and projector and beam	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:48
S62	148	"356"/\$ and ((receptor\$1 or receiv\$3) with array) and align\$4 and projector and beam and position\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:49
S63	77	"356"/\$ and ((receptor\$1 or receiv\$3) with array) and align\$4 and projector and beam and position and horizontal\$2 and vertical\$2 and signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:55
S64	2	"356"/\$ and ((receptor\$1 or receiv\$3) with array) and align\$4 and projector and beam and position and horizontal\$2 and vertical\$2 and signal\$1 and (address\$4 with display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:58
S65	1	"356"/\$ and receptor\$1 and array and align\$4 and projector and beam and position and horizontal\$2 and vertical\$2 and signal\$1 and (address\$4 with display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 17:59
S66	24	"356"/\$ and receptor\$1 and array and align\$4 and projector and beam and position and horizontal\$2 and vertical\$2 and signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 18:00

S67	10	"356"/\$ and receptor\$1 and sweep\$3 and align\$4 and projector and beam and position and horizontal\$2 and vertical\$2 and signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 18:03
S68	7	("348"/\$ or "353"/\$ or "349"/\$ or "345"/\$ or "382"/\$ or "362"/\$ or "359"/\$) and receptor\$1 and sweep\$3 and align\$4 and projector and beam and position and horizontal\$2 and vertical\$2 and signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 18:06
S54	1854	(356/153,138).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 18:16
S69	192	(356/154).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 18:17
S70	9	S69 and (receptor\$1 or pixel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:28
S71	403	(353/121).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 18:29
S72	101	S71 and align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:30
S74	28	S71 and align\$4 and pixel\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:31

S73	1	S71 and align\$4 and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:31
S75	28	S71 and align\$4 and pixel\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 19:46
S76	2	("20050077841").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/11 19:47
S78	1	10/264131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:11
S77	20	((("3659159") or ("4467325") or ("5838308") or ("6542138") or ("3631411") or ("5786796") or ("6275205") or ("6424326") or ("20010055008")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 07:11
S79	213	(345/564).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 07:35
S24	977	(345/564-574,28).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 07:36
S83	0	S80 and (projector with beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:37

S82	1	S80 and receptor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:37
S81	0	("4andreceptor\$1").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 07:37
S80	978	(345/564-574,28).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 07:37
S84	43	S80 and align\$4 and project\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:38
S85	14	S80 and align\$4 and project\$3 and receiv\$3 and transmit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:43
S86	591	(356/606,622,391,909).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 07:44
S88	637	"348"/\$ and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:46
S87	6	S86 and receptor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:46

S92	0	"353"/\$ and (alignment adj receptor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:47
S91	0	"382"/\$ and (alignment adj receptor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:47
S90	0	"345"/\$ and (alignment adj receptor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:47
S89	3	"348"/\$ and (alignment adj receptor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:47
S94	9467	(alignment with pixel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:52
S93	118	(alignment adj receptor\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:52
S95	2490	(alignment near2 pixel\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 07:53
S96	21	alignment with pixel\$1 with beam with project\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:06

S98	1055	(353/122).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:08
S97	183	(353/42).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 08:08
S10 0	321	S98 and (project\$3 with (beam or light)) and align\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:09
S99	365	S98 and (project\$3 with beam)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:09
S10 1	17	S98 and (project\$3 with (beam or light)) and align\$4 and (receptor\$3 or receiver\$1) and transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:10
S10 2	14	S98 and (project\$3 with (beam or light)) and align\$4 and (receptor\$3 or receiver\$1) and transmitter and (array or pixel\$3 or address\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:12
S10 3	2108	(project\$3 with (beam or light)) and align\$4 and (receptor\$3 or receiver\$1) and transmitter and (array or pixel\$3 or address\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:13
S10 4	910	("348"/\$ or "356"/\$ or "353"/\$ or "359"/\$ or "362"/\$ or "345"/\$ or "382"/\$) and (project\$3 with (beam or light)) and align\$4 and (receptor\$3 or receiver\$1) and transmitter and (array or pixel\$3 or address\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:15

S10 5	65	("348"/\$ or "356"/\$ or "353"/\$ or "359"/\$ or "362"/\$ or "345"/\$ or "382"/\$) and (project\$3 with (beam or light)) and align\$4 and receptor\$1 and transmitter and (array or pixel\$3 or address\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 08:16
L1	2	("4684996").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:23
L4	18	"353"/\$ and (optical adj transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:24
L2	15359	(optical adj transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:24
L3	728	"356"/\$ and (optical adj transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:26
L7	0	("optical or electrical" with transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:28
L6	0	"356"/\$ and ("optical or electrical" with transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:28
L8	0	(optical adj "or" adj electrical) with transmitter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:29

L5	257	"356"/\$ and (optical with electrical with transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:35
L9	5	"353"/\$ and (optical with electrical with transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:36
L10	4	"396"/\$ and (optical with electrical with transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:37
L12	10907	transmit\$4 with optical with electrical with signal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:39
L11	1138	"359"/\$ and (optical with electrical with transmitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:39
L14	0	"353"/\$ and (transmit\$4 adj1 electrical adj1 optical adj signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:47
L13	34	"353"/\$ and (transmit\$4 with optical with electrical with signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:47
L15	75	(transmit\$4 adj1 electrical adj1 optical adj1 signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:48

L20	0	"345"/\$ and (transmit\$4 adj1 electrical adj1 optical adj1 signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:49
L19	3	"359"/\$ and (transmit\$4 adj1 electrical adj1 optical adj1 signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:49
L18	0	"348"/\$ and (transmit\$4 adj1 electrical adj1 optical adj1 signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:49
L17	0	"353"/\$ and (transmit\$4 adj1 electrical adj1 optical adj1 signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:49
L16	0	"356"/\$ and (transmit\$4 adj1 electrical adj1 optical adj1 signal\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/12 09:49